

**J-1000RRS01SS**

For wooden doors between 32-50mm thick  
19mm diameter handle  
Sprung  
Supplied with bolt-through fixings  
Manufactured from Grade 304 stainless steel  
SS - Satin Stainless Steel  
BS EN 1634 Part 1 : 2000 assessed for use on 60  
minute timber fire doors  
Assists in fulfilling duties required under the  
Equality Act (EA)

**J-1000RRS02SS**

For wooden doors between 32-50mm thick  
19mm diameter handle  
Sprung  
Supplied with bolt-through  
fixings  
Manufactured from Grade  
304 stainless steel  
SS - Satin Stainless Steel  
BS EN 1634 Part 1 : 2000  
assessed for use on 60  
minute timber fire doors

**JFL26**

Fast latch, a range of  
push fit tubular latches for  
residential applications.

Quick to install with bolt  
through fixings centres  
38mm

Supplied with both round  
and square corner strikes

For use with sprung door  
furniture with an 8mm  
square spindle



PART	SIZE	FINISH
JFL26-PB-2.5	60mm (2½")	Polished brass
JFL26-PB-3.0	73mm (3")	Polished brass
JFL26-CH-2.5	60mm (2½")	Polished chrome
JFL26-CH-3.0	73mm (3")	Polished chrome

**J-1000EES**

Euro escutcheon

Suitable for use with  
euro-profile locks  
Concealed fixings  
Sold as a single piece

54mm x 8mm stainless

**J-1000LKSS**

Lever key escutcheon

Suitable for use with  
rim or mortice locks  
Concealed fixings  
Sold as a single piece

54mm x 8mm stainless

**J-1000TSS**

Standard turn bar

Suitable for use on  
bathrooms using a 5mm  
spindle  
Sold as a single piece

54mm dia. stainless

**J-1000OESS**

Oval escutcheon

Suitable for use with UK  
oval-profile locks  
Concealed fixings  
Sold as a single piece

54mm x 8mm stainless

**YHD26-PB/SS-2.5**

Tubular latch heavy duty  
dual finish 70mm (2½")

Supplied with both satin  
stainless and polished  
brass faceplates

Follower 8mm

**YHD26-PB/SS-3.0**

Tubular latch heavy duty  
dual finish 82mm (3")

Supplied with both satin  
stainless and polished  
brass faceplates

Follower 8mm



### JFL27

Push fit privacy bolts

Side ribs provide a secure fit

For use with an emergency release or bathroom turn with an 5mm square spindle



#### PART

#### SIZE

#### FINISH

JFL27-PB-2.5	60mm (2½")	Polished brass
JFL27-PB-3.0	73mm (3")	Polished brass
JFL27-CH-2.5	60mm (2½")	Polished chrome
JFL27-CH-3.0	73mm (3")	Polished chrome

### JL2C21R-SS55

Sashlock 72mm centres euro profile double throw with 55mm backset

EN 1634-1 assessed for use on 30 and 60 minutes timber fire doors



### JL2C26S-SS55

Mortice escape sashlock 72mm centres euro profile, SS, 55mm backset, reversible, with split spindle

Sprung bolt-through lever handles must be used with this lock

Latch bolt withdrawn by sprung lever handle from both sides  
Dead and latch bolt withdrawn simultaneously in a single operation by sprung inside lever handle  
BS EN 12209 : 2003

EN 1634-1 assessed for use on 30 and 60 minute timber fire doors




### J-1000LTSS

Large turn bar

Suitable for use on bathrooms using a 5mm spindle

Sold as a single piece

54mm dia. stainless



### JL2349-SC-3.00

Euro profile mortice night latch

57mm backset  
77.5mm case

Reversible, anti-thrust latch

Latch bolt withdrawn by euro profile cylinder from outside and sprung lever handle or separate turn from inside

Follower: 8mm square



### J2677-SC-3.00

Mortice Latch reversible

For timber doors hinged on the left or right

Latch bolt withdrawn by sprung lever handle from either side

Pierced to accept bolt through furniture

Case Size 77.5mm (3")

Follower: 8mm square



### J-1000ERSSS

Emergency release

For emergency function

Uses a 5mm spindle  
Sold as a single piece

54mm dia. stainless



**YJL2224**

Euro sash lock used on aluminium doors

Latchbolt can be withdrawn by key

47.5mm case  
31mm backset

48mm centres



**YJL2214-SC-32**

Oval sash lock used on aluminium doors

Latchbolt can be withdrawn by key

47.5mm case  
31mm backset

48mm centres



**YJL22070**

Euro sash lock used on aluminium doors

Without faceplate

Latchbolt can be withdrawn by key

54mm case  
36mm backset

48mm centres



**GEARBOX EURO**

Euro sash lock for PVC doors

92mm centres

Can use split spindle

Reversible latch with deadbolt



**GEARBOX VECTIS**

5 Lever sash lock for PVC doors

92mm centres

Can use split spindle

Reversible latch with deadbolt



**GEARBOX HOOK**

Euro sash lock for PVC doors

92mm centres

Can use split spindle

Reversible latch with hook bolt



**PART**

**BACKSET**

**CASE**

GEARBOX-35-6035      35mm      53mm

GEARBOX-45-6045      45mm      63mm

**PART**

**BACKSET**

**CASE**

GEARBOX-35-9035      35mm      53mm

GEARBOX-45-9045      45mm      63mm

**PART**

**BACKSET**

**CASE**

GEARBOX-35-6635      35mm      53mm

### YJL22080

Euro sash lock used on aluminium doors


Without faceplate

Anti-thrust snib

50mm case

30mm backset

48mm centres



### YJL22180

Euro Monarch multipoint sash lock used on aluminium doors

Without faceplate

Anti-thrust snib

50mm case

30mm backset

48mm centres



### YDM-UNI-PVCU

Yale Doormaster universal replacement lock for PVC

Designed to replace 100% of door locks that have a 16mm faceplate

35mm and 45mm backsets

92mm centres



### CRA22

ABT Gibbons multi point lock

Anti-thrust snib

50mm case

32mm backset

48mm centres



### AVOCET

Trivalent multipoint

35mm backset

Reversible handing

92/62 spindle

16mm faceplate



DLPN352H2RT

2 Hook 2 Roller

DLPN354RT

4 Roller

YDM-UNI-PVCU-35

Latch, Hook & 4 Roller

YDM-UNI-PVCU-45

Latch, Hook & 4 Roller

**JL21EUS**

Union euro cylinder operated  
"Strongbolt" deadlock

Anti-saw features



**PART**                      **SIZE**                      **FINISH**

JL21EUS-SS-2.50	68mm (2½")	Stainless
JL21EUS-SS-3.00	81mm (3")	Stainless
JL21EUS-PB-2.50	68mm (2½")	Brassed
JL21EUS-PB-3.00	81mm (3")	Brassed
J2100REB-0.5-PL	Rebate kit	Brassed

**Y2105S**

Union 5 lever "Strongbolt" non anti-drill  
deadlock

Anti-pick and anti-saw features



**PART**                      **SIZE**                      **FINISH**


Y2105S-PB-2.50	68mm (2½")	Brassed
Y2105S-PB-3.00	81mm (3")	Brassed
J2100REB-0.5-PL	Rebate kit	Brassed

**Y2101-PL**

Union 5 lever deadlock

Ideal for upgrading existing 3 lever locks

Brass bolt with hardened steel pins



**PART**                      **SIZE**                      **FINISH**

Y2101-PL-2.50	65mm (2½")	Brass
Y2101-PL-3.00	77.5mm (3")	Brass
J2969-PL-0.50	Rebate kit	Brass

**JL22EUS**

Union euro cylinder operated  
"Strongbolt" sashlock

Anti-saw features



**PART**                      **SIZE**                      **FINISH**

JL22EUS-SS-2.50	68mm (2½")	Stainless
JL22EUS-SS-3.00	81mm (3")	Stainless
JL22EUS-PB-2.50	68mm (2½")	Brassed
JL22EUS-PB-3.00	81mm (3")	Brassed
J22000REB-0.5-PL	Rebate kit	Brassed

**Y2205S**

Union 5 lever "Strongbolt" non anti-drill  
sashlock

Anti-pick and anti-saw features



**PART**                      **SIZE**                      **FINISH**

Y2205S-PB-2.50	68mm (2½")	Brassed
Y2205S-PB-3.00	81mm (3")	Brassed
J22000REB-0.5-PL	Rebate kit	Brassed

**Y2201-PL**

Union 5 lever sashlock

Ideal for upgrading existing 3 lever locks

Brass bolt with hardened steel pins



**PART**                      **SIZE**                      **FINISH**

Y2201-PL-2.50	65mm (2½")	Brass
Y2201-PL-3.00	77.5mm (3")	Brass
J2979-PL-0.50	Rebate kit	Brass




**Y2177**

Union 3 lever deadlock

100 differs

M101M - M200M



PART	SIZE	FINISH
------	------	--------

Y2177-SC-2.50	65mm (2½")	Stainless
Y2177-SC-3.00	77.5mm (3")	Stainless
Y2177-PB-2.50	65mm (2½")	Brass
Y2177-PB-3.00	77.5mm (3")	Brass
J2969-PL-0.50	Rebate kit	Brass


**Y2077**

Union 3 lever horizontal mortice sashlock

100 differs

M101M - M200M

(Euro version JL2049)



PART	SIZE	FINISH
------	------	--------

Y2077-PL-5.00	124mm (5")	Brass
Y2077-PL-6.00	149mm (6")	Brass
JL2049-SC-6.00	149mm EURO	Satin chrome

**J2188-SC-69**

Union 3 lever dead lock with double throw deadbolt (21mm)



PART	SIZE	FINISH
------	------	--------

J2188-SC-69	69mm (2½")	Stainless
-------------	------------	-----------


**Y2277**

Union 3 lever sashlock

100 differs

M101M - M200M

(Euro version JL2249)



PART	SIZE	FINISH
------	------	--------

Y2277-SC-2.50	65mm (2½")	Stainless
Y2277-SC-3.00	77.5mm (3")	Stainless
Y2277-PB-2.50	65mm (2½")	Brass
Y2277-PB-3.00	77.5mm (3")	Brass
J2277-SC-4.00	103mm (4")	Stainless
J2979-PL-0.50	Rebate kit	Brass

**J2477-SC-3.00**

Union 3 lever mortice deadlock for sliding doors

100 differs

M101M - M200M



PART	SIZE	FINISH
------	------	--------

J2477-SC-3.00	77.5mm (3")	Stainless
---------------	-------------	-----------

**JL2332-SC-3.00**

Union oval profile mortice nightlatch

(Cylinder extra)



PART	SIZE	FINISH
------	------	--------

JL2332-SC-3.00	77.5mm (3")	Stainless
----------------	-------------	-----------

**Y2295**

Union 2 lever sash lock

Reversible bolt

20 standard differs

M21H - M40H



PART	SIZE	FINISH
Y2295-CH-2.50	63mm (2½")	Chrome
Y2295-CH-3.00	76mm (3")	Chrome
Y2295-PL-2.50	63mm (2½")	Brass
Y2295-PL-3.00	76mm (3")	Brass

**3G115**

Union 5 lever deadlock

14mm bolt throw

Force resistant, anti-pick and anti-saw features



PART	SIZE	FINISH
V-3G115-PL-67	67mm (2½")	Brass Visi
V-3G115-SC-67	67mm (2½")	Satin Visi
B-3G115-PL-80	80mm (3")	Brass Boxed
B-3G115-SC-80	80mm (3")	Satin Boxed
B-3G114R-PL-13	Rebate kit	Brass

**3K75**

Union 5 lever sashlock

14mm bolt throw

Force resistant, anti-pick and anti-saw features

Roller bolt to avoid handing



PART	SIZE	FINISH
V-3K75-PL-67	67mm (2½")	Brass Visi
B-3K75-PL-80	80mm (3")	Brass Boxed
B-3K74R-PL-13	Rebate kit	Brass

**Y2242**

Union 2 lever rebated sash lock

Reversible bolt

20 standard differs

M21H - M40H




PART	SIZE	FINISH
Y2242-EB-2.50	63mm (2½")	Brass
Y2242-EB-3.00	76mm (3")	Brass
Y2242-SE-2.5	63mm (2½")	Silver enamel
Y2242-SE-3.0	76mm (3")	Silver enamel

**Y2294**

Union mortice bathroom lock

Reversible bolt

Follower: 8mm square, 5mm turn follower



PART	SIZE	FINISH
Y2294-CH-2.50	63mm (2½")	Chrome
Y2294-CH-3.00	76mm (3")	Chrome
Y2294-PL-2.5	63mm (2½")	Brass
Y2294-PL-3.0	76mm (3")	Brass

**Y8094**

Union indicator bolt

Suitable for wooden doors between 28 and 48mm



PART	SIZE	FINISH
Y8094-EB	-	Brassed
Y8094-SC	-	Satin Chrome

**B-3G220-SC-54**

54mm backset narrow style mortice deadlock

Can be keyed alike using B-3G114 levers



**B-3G110-PL-73**

Highest quality Union (Castle) 5 detainer deadlock

14mm bolt throw

73mm case size

Can be master keyed or keyed alike



**B-3R35-R-SC**

3R35 lever handles

Non handed

Satin chrome finish



PART	SIZE	FINISH
------	------	--------

B-3R35-PL-80-RH	80mm	Brass
B-3R35-PL-80-LH	80mm	Brass
B-3R35-R-SC	Handles	Satin chrome

**B-1K11**


Union Battleship close shackle 6 lever padlock

Non key retaining

12.5mm unsprung hardened shackle



**LEVERS**



PART	LOCK	SERIES
------	------	--------

B-3G114-05	Union 3G114 / 5	1 - 8
B-3G110-P8S	Union 3G110	1 - 9
J-210011-5	Union Strongbolt	1 - 7
111-32	ERA Invincible	1 - 8
151-52	ERA Viscount	1 - 7
LEVER PK3G115	Union 3G114 / 5	5 levers + keys
DETAINER PK3G110	Union 3G110	5 detainers + keys

**BOLT THROWERS**



PART	LOCK
------	------

B-3G114-P9-NP	Union 3G114 / 5
B-3G110-P230	Union 3G110
B-3G110-P231	3G110 master hotel
B-3G220-305-NP	Union 3G220
129-52	ERA Fortress
SP202-123	ERA Viscount

**B-1K21**

Union Cruiser close shackle 6 lever padlock

Non key retaining

12.5mm unsprung hardened shackle





**1022-ENB**

Union economy / trade  
nightlatch in champagne gold  
finish with brass cylinder

60mm backset

Y1022C-ENB-PL-2K visi packed

J1022C-ENB-PL-2K boxed

Key blank YA1E

**Y1027-CG-PL**

Union champagne gold nightlatch

Complete with brass cylinder

Inward opening doors

40mm backset

Visi packed

Key blank YA1E

**Y1047-CG-PL**

Union champagne gold nightlatch

Turning the key a full revolution anti-clockwise  
deadlocks handle and bolt

Inward opening doors

Complete with brass cylinder

40mm backset

Visi packed

Key blank YA1E

**Y1026-CG-PL**

Union champagne gold nightlatch

Complete with brass cylinder

Inward opening doors

50mm backset

Visi packed

Key blank YA1E



Case only ref:JL1026-CG

**Y1028-CG-PL**

Union champagne gold nightlatch

Complete with brass cylinder

Inward opening doors

50mm backset

Visi packed

Key blank YA1E



Case only ref:JL1028-WE (White)

**Y1048-CG-PL**

Union champagne gold nightlatch

Turning the key a full revolution anti-clockwise  
deadlocks handle and bolt

Inward opening doors

Complete with brass cylinder

60mm backset

Visi packed

Key blank YA1E



Case only ref:JL1048-CG

### Y1037-CG-PL

Union champagne gold nightlatch

Anti-thrust snib

Turning the key a full revolution anti-clockwise deadlocks handle and bolt

Inward opening doors

Complete with brass cylinder

40mm backset

Visi packed

Key blank YA1E



### Y1334-CG-PL

Union champagne gold nightlatch

Added security of a double throw deadbolt

Inward opening doors

Complete with brass cylinder

50mm backset

Visi packed

Key blank UNI3



### J1X10F-PL-2K

Union replacement rim cylinder with KB502 UNI3 profile

Brass

Boxed



### JM2X18-SC-BB

Master-keyed euro key key

EN 1634-1:2000 assessed for use on 60 minutes timber fire doors

KB502 / UNI3 blank



### Y1038-CG-PL

Union champagne gold nightlatch

Anti-thrust snib

Turning the key a full revolution anti-clockwise deadlocks handle and bolt

Inward opening doors

Complete with brass cylinder

60mm backset

Visi packed

Key blank YA1E



### Y1332-CG-PL

Union champagne gold nightlatch

Added security of a double throw deadbolt

Inward opening doors

Complete with brass cylinder

60mm backset

Visi packed

Key blank UNI3



### JM2X19-SC-BB

Master-keyed euro key thumbturn

EN 1634-1:2000 assessed for use on 60 minutes timber fire doors

KB502 / UNI3 blank



### JM3122-2.00

Master-keyed padlock 2" 52mm

Non key retaining

KB502 / UNI3 blank



**Union ExiSAFE**

UNION panic and emergency hardware

Certifire approved, CE marked with a 10 year guarantee

Made in Europe

Bolt rods and push bars can be cut on site for a perfect fit

Below items are supplied with timber fixings

For metal fixings please speak with our sales team

J-CE853PL-SIL EN1125




✓ Push bar to open

J-CE851PB-SIL EN 1125

J-CE858EB-SIL EN179

J-CE852DDREB-SIL EN 1125

J-CE854EL-SIL EN 179



**Union ExiSAFE**

J-CE851PB-SIL	Single door	Panic bolt EN 1125
J-CE852DDREB-SIL	Double rebated door	Panic set EN1125
J-CE853PL-SIL	Single door	Panic latch EN1125
J-CE854EL-SIL	Single door	Emergency latch EN179
J-CE858EB-SIL	Single door	Emergency bolt EN179

**J-CE855OADK-SIL**

Exit device, external knob over-ride supplied without half euro cylinder

CE marked

Suitable for the external face of outward opening doors

Suitable for doors up to 45mm thick

Concealed fixings

To suit timber and metal doors

Included in EN179 and EN1125 testing



**J-CE855OADL-SIL**

Exit device, external lever over-ride supplied without half euro cylinder

CE marked

Suitable for the external face of outward opening doors

Suitable for doors up to 55mm thick

Concealed fixings

To suit timber and metal doors

Included in EN179 and EN1125 testing

